

- 1) Mulinacci N; Vignolini P; la Marca G; Pieraccini G; Romani A, Vincieri FF. Quality control of commercial food supplements of *Tribulus terrestris* L. Extracts. Biologically-active phytochemicals in food, pp 209-212; Ed. W. Pfannhauser et al.; Royal Society of Chemistry. Settembre, 2001. ISBN 0-85404-806-5.
- 2) Mulinacci N, Innocenti M, Gallori S, Romani A, la Marca G, Vincieri FF. Optimization of the chromatographic determination of polyphenols in the aerial parts of *cichorium intybus* L.. *Chromatographia*. 2001; 54 :455-461.
- 3) Boscaro F, Pieraccini G, la Marca G, Bartolucci G, Luceri C, Luceri F, Moneti G. Rapid quantification of globotriaosylceramide in human plasma and urine: a potential application for monitoring enzyme replacement therapy in Anderson-Fabry Disease. *Rapid Commun Mass Spectrom*. 2002; 16: 1507-1514.
- 4) la Marca G, Casetta B, Zammarchi E. Rapid determination of orotic acid in urine by a fast liquid chromatography/tandem mass spectrometric method. *Rapid Commun Mass Spectrom*. 2003; 17: 788-793.
- 5) la Marca G, Malvagia S, Donati MA, Morrone A, Pasquini E, Zammarchi E. Rapid diagnosis of MCAD (Medium Chain Acyl Co-A Dehydrogenase) deficiency in a newborn by liquid chromatography tandem mass spectrometry. *Rapid Commun Mass Spectrom*. 2003; 17: 2688-92.
- 6) Mulinacci N., Vignolini P., la Marca G., Pieraccini G., Innocenti M., Vincieri F.F. Food supplements of *tribulus terrestris* L.: an HPLC-ESI-MS method for an estimation of the saponin content. *Chromatographia*. 2003, 57:581-592.
- 7) C Cavicchi, S Funghini, G la Marca, S Malvagia, G Poggi, E Pasquini, MA Donati, A Morrone, E Zammarchi. Early Prenatal Diagnosis of Mut Mma By Molecular and Propionylcarnitine And Methylmalonic Acid Analysis. *J Inherit Metab Dis*. 2004;20: 67.
- 8) G la Marca, S Malvagia, B Casetta, E Pasquini, MA Donati, E Zammarchi. Quantitative Dosage of Thymidine in a Mngie Patient in Urine and Plasma Using HPLC-ESI-MS/MS. *J Inherit Metab Dis*. 2004; 27: 236.
- 9) Mulinacci N, la Marca G, Innocenti M, Vincieri FF, Crespi-Perellino N, Minghetti A. Cell cultures of *Ajuga reptans* L. to bioconvert emodin and aloe–emodin: an HPLC/ESI/MS investigation. *Enzyme Microb Tech*. 2005, 36:399-408.
- 10) la Marca G, Malvagia S, Pasquini E, Gasperini S, Procopio E, Donati MA, Zammarchi E: Hyperhydroxyprolinemia: a new case diagnosed during newborn screening with tandem mass spectrometry. *Rapid Commun Mass Spectrom*. 2005; 19:863-4.
- 11) la Marca G, Alterisio M, Rossi M, Zappa C, Sasso G, Sasso A. Study on stability of a chloral hydrate solution used as sedative in a paediatric hospital by tandem mass spectrometry. *Bollettino S.I.F.O*, Nov; 2005, (5):645-649.
- 12) Mulinacci N, Innocenti M, la Marca G, Mercalli E, Giaccherini C, Romani A, Erica S, Vincieri FF. Solid olive residues: insight into their phenolic composition. *J Agr Food Chem*. 2005, 53:8963-9.
- 13) Malvagia S, Morrone A, Pasquini E, Funghini S, la Marca G, Zammarchi E, Donati MA. First prenatal

- molecular diagnosis in a family with holocarboxylase synthetase deficiency. *Prenatal Diagn.* 2005, 25:1117-9.
- 14) Cavicchi C, Donati MA, Funghini S, la Marca G, Malvagia S, Ciani F, Poggi GM, Pasquini E, Zammarchi E, Morrone A. Genetic and biochemical approach to early prenatal diagnosis in a family with methylmalonic aciduria. *Clin Genet.* 2006, 69:72-6.
- 15) Malvagia S, la Marca G, Casetta B, Gasperini S, Pasquini E, Donati MA, Zammarchi E. Falsely elevated C4-carnitine as expression of glutamate formiminotransferase deficiency in tandem mass spectrometry newborn screening. *J Mass Spectrom.* 2006, 41:263-5.
- 16) Turillazzi S, Mastrobuoni G, Dani FR, Moneti G, Pieraccini G, la Marca G, Bartolucci G, Perito B, Lambardi D, Cavallini V, Dapporto L. Dominulin A and B: two new antibacterial peptides identified on the cuticle and in the venom of the social paper wasp *polistes dominulus* using MALDI-TOF, MALDI-TOF/TOF, and ESI-Ion Trap. *J Am Soc Mass Spectrom.* 2006, 17:376-83.
- 17) la Marca G, Malvagia S, Casetta B, Pasquini E, Pela I, Hirano M, Donati MA, Zammarchi E. Pre- and post-dialysis quantitative dosage of thymidine in urine and plasma of a MNGIE patient by using HPLC-ESI-MS/MS. *J Mass Spectrom.* 2006, 41:586-92.
- 18) Innocenti M., la Marca G., Malvagia S, Giaccherini C., Vincieri FF, Mulinacci N. Electrospray ionisation tandem mass spectrometric investigation of phenylpropanoids and secoiridoids from solid olive. *Rapid Commun Mass Spectrom.* 2006; 20:2013-22.
- 19) Donati MA, Malvagia S, Pasquini E, Morrone A, la Marca G, Garavaglia B, Toniolo D, Zammarchi E. Barth syndrome presenting with acute metabolic decompensation in the neonatal period. *J Inherit Metab Dis.* 2006; 29:684.
- 20) la Marca G, Casetta B, Malvagia S, Pasquini E, Innocenti M, Donati MA, Zammarchi E. Implementing tandem mass spectrometry as a routine tool for characterizing the complete purine and pyrimidine metabolic profile in urine samples. *J Mass Spectrom.* 2006. 41: 1442-52.
- 21) C Cavicchi, S Malvagia, G la Marca, S Gasperini, MA Donati, E Zammarchi, Guerrini, A Morrone, E Pasquini. Hypocitrullinemia in expanded newborn screening reveals an OTC deficiency. *J Inherit Metab Dis.* 2007; 30: 7.
- 22) G la Marca, S Malvagia, S Funghini, E Pasquini, M Innocenti, MA Donati, E Zammarchi. Rapid second tier test for measurement of 3-OH propionic and methylmalonic acids on dried blood spots: A new approach for reducing false-positive rate for propionylcarnitine during expanded newborn screening by LC-MS/MS. *J Inherit Metab Dis.* 2007; 30: 5.
- 23) Pescucci C, Caselli R, Mari F, Speciale C, Ariani F, Bruttini M, Sampieri K, Mencarelli MA, Scala E, Longo I, Artuso R, Renieri A, Meloni I, the Members of the XLMR Italian Network: G. la Marca et al. The Italian XLMR bank: a clinical and molecular database. *Hum Mutat.* 2007;28:13-8.
- 24) la Marca G, Malvagia S, Pasquini E, Innocenti M, Donati MA, Zammarchi E. Rapid 2nd-Tier Test for measurement of 3-OH-propionic and methylmalonic acids on dried blood spots: reducing the false-positive rate for propionylcarnitine during expanded newborn screening by liquid chromatography-tandem mass spectrometry. *Clin Chem.* 2007; 53:1364-9.

- 25) Malvagia S, Papi L, Morrone A, Donati MA, Ciani F, Pasquini E, la Marca G, Scholte HR, Genuardi M, Zammarchi E. Fatal malonyl CoA decarboxylase deficiency due to maternal uniparental isodisomy of the telomeric end of chromosome 16. *Ann Hum Genet*. 2007; 71(Pt 6):705-12.
- 26) L Filippi, P Fiorini, G Fontanelli, G la Marca, S Malvagia, F Sacco, L Andaloro, G Cristofori, S Boccacci, E Agazzani, C Bottura, G Cavallaro. Topiramate pharmacokinetics in the neonates treated with prolonged systemic hypothermia for hypoxic ischaemic encephalopathy. *Arch Dis Child*. 2008; 93(S2): 264
- 27) la Marca G, Malvagia S, Pasquini E, Innocenti M, Fernandez MR, Donati MA, Zammarchi E. The inclusion of succinylacetone as marker for tyrosinemia type I in expanded newborn screening programs. *Rapid Commun Mass Spectrom*. 2008; 22:812-8.
- 28) la Marca G, Malvagia S, Casetta B, Pasquini E, Donati MA, Zammarchi E. Progress in expanded newborn screening for metabolic conditions by LC-MS/MS in Tuscany: update on methods to reduce false tests. *J Inherit Metab Dis*. 2008; 31:Suppl 2:S395-404.
- 29) la Marca G, Malvagia S, Filippi L, Fiorini P, Innocenti M, Luceri F, Pieraccini G, Moneti G, Francese S, Dani FR, Guerrini R. Rapid assay of Topiramate in dried blood spots by a new liquid chromatography-tandem mass spectrometric method. *J Pharm Biomed Anal*. 2008; 48:1392-6.
- 30) L Filippi, E Gozzini, P Fiorini, C Poggi, S Malvagia, L Belloni, F Cappellini, G Cavallaro, F Mosca, G la Marca, G Donzelli. Serum thyroid hormones in newborns with hypoxic ischemic encephalopathy treated with whole body hypothermia and neuroprotective drugs. *Acta Paediatrica* 2009; 98:134-5
- 31) L Filippi, C Poggi, G la Marca, P Fiorini, G Cavallaro, F Mosca, A Plantulli, G Donzelli, R Guerrini. Safety of oral topiramate in neonates with hypoxic ischemic encephalopathy treated with hypothermia. *Acta Paediatrica* 2009; 98:134.
- 32) Francese S, Lambardi D, Mastrobuoni G, la Marca G, Moneti G, Turillazzi S. Detection of honeybee venom in envenomed tissues by direct MALDI MSI. *J Am Soc Mass Spectrom*. 2009;20:112-23.
- 33) Cavicchi C, Malvagia S, la Marca G, Gasperini S, Donati MA, Zammarchi E, Guerrini R, Morrone A, Pasquini E. Hypocitrullinemia in expanded newborn screening by LC-MS/MS is not a reliable marker for ornithine transcarbamylase deficiency. *J Pharm Biomed Anal*. 2009; 49:1292-5.
- 34) Filippi L, Gozzini E, Cavicchi C, Morrone A, Fiorini P, Donzelli G, Malvagia S, la Marca G. Insulin-resistant hyperglycaemia complicating neonatal onset of methylmalonic and propionic acidaemias. *J Inherit Metab Dis*. 2009.
- 35) la Marca G, Casetta B, Malvagia S, Guerrini R, Zammarchi E. New Strategy for the Screening of lysosomal storage disorders: The use of the online trapping-and-cleanup liquid chromatography/mass spectrometry. *Anal Chem*. 2009;81:6113-21.
- 36) Filippi L, la Marca G, Fiorini P, Poggi C, Cavallaro G, Malvagia S, Pellegrini-Giampietro D, Guerrini R. Topiramate concentrations in neonates treated with prolonged whole body hypothermia for hypoxic ischaemic encephalopathy. *Epilepsia*. 2009;50:2355-61.
- 37) Fattorini P, Gerin F, Ricci U, Grignani P, Edalucci E, Xamin A, la Marca G, Previderè C. Estimating the integrity of aged DNA samples by CE. *Electrophoresis*. 2009;30:3986-95.

- 38) Filippi L, Gozzini E, Fiorini P, Poggi C, Malvagia S, Belloni L, Cappellini F, Cavallaro G, Mosca F, la Marca G., Donzelli G. Serum thyroid hormones in newborns with hypoxic ischemic encephalopathy treated with whole body hypothermia and neuroprotective drugs. *Acta Paediatrica*, 2009; 98:134-135.
- 39) la Marca G, Malvagia S, Funghini S, Pasquini E, Moneti G, Guerrini R, Zammarchi E. The successful inclusion of succinylacetone as a marker of Tyrosinemia Type I in Tuscany newborn screening program. *Rapid Commun Mass Spectrom*. 2009;23:3891-3.
- 40) la Marca G, Malvagia S, Filippi L, Luceri F, Moneti G, Guerrini R. A new rapid micromethod for the assay of phenobarbital from dried blood spots by LC-tandem mass spectrometry. *Epilepsia*. 2009; 50:2658-62.
- 41) I Sardi, G la Marca, MG Giovannini, E Sieni, S Malvagia, R Guerrini, L Genitori, M Massimino, M Arico. Morphine Facilitates Blood Brain Barrier Penetration of Doxorubicin in Rat Model. *Neuro-oncology*, 2010; 12(6):9.
- 42) S Malvagia, S Funghini, E Pasquini, C Cavicchi, A Morrone, E Zammarchi, MA Donati, G la Marca. The Reduction of Propionylcarnitine Cut Off Levels Associated to a Second-Tier Test for Methylmalonic Acid Allows to Decrease False Negatives in Expanded Newborn Screening. *J Inherit Metab Dis*. 2010; 33:S50.
- 43) G la Marca, S Malvagia, B Casetta, E Pasquini, MA Donati, E Zammarchi. Rapid And Effective Approach For Lysosomal Storage Disorders Newborn Screening. *J Inherit Metab Dis*. 2010; 33:S145.
- 44) L Ferri, C Guido, G la Marca, S Malvagia, C Cavicchi, A Fiumara, R Parini, D Antuzzi, A Zampetti, R Guerrini, S Giglio, M Genuardi, MA Donati, A Morrone. Fabry Disease: Gla Gene Variant Alleles Leading To Normal Alpha Galactosidase Activity. *J Inherit Metab Dis*. 2010; 33:S129.
- 45) Mulinacci N, Innocenti M, Santamaria AR, la Marca G, Pasqua G. High-performance liquid chromatography/electrospray ionization tandem mass spectrometric investigation of stilbenoids in cell cultures of *Vitis vinifera* L., cv. Malvasia. *Rapid Commun Mass Spectrom*. 2010;24:2065-73.
- 46) Sardi I, la Marca G., Giovannini MG, Sieni E, Paolicchi O, Malvagia S, Genitori L, Massimino M, Arico M. Treatment with morphine allows the passage of doxorubicine through the blood-brain barrier in an animal model. *Haematologica*. 2010, 95 (S7) p. S11-S11.
- 47) Gasperini S, Stagi S, Gasperini U, Guerrini R, la Marca G, Donati MA. Orange-colored diapers as first sign of Lesch-Nyhan disease in an asymptomatic infant. *Pediatr Nephrol*. 2010; 25:2373-4.
- 48) Filippi L, Cavallaro G, Fiorini P, Daniotti M, Benedetti V, Cristofori G, Araimo G, Ramenghi L, La Torre A, Fortunato P, Pollazzi L, la Marca G, Malvagia S, Bagnoli P, Ristori C, Dal Monte M, Bilia AR, Isacchi B, Furlanetto S, Tinelli F, Cioni G, Donzelli G, Osnaghi S, Mosca F. Study protocol: safety and efficacy of propranolol in newborns with Retinopathy of Prematurity (PROP-ROP). *BMC Pediatr*. 2010; 10:83.
- 49) Filippi L, Gozzini E, Fiorini P, Malvagia S, la Marca G, Donati MA. N-carbamylglutamate in emergency management of hyperammonaemia in neonatal acute onset propionic and methylmalonic aciduria. *Neonatology*. 2010; 97:286-90.
- 50) Filippi L, Poggi C, la Marca G, Fiorini P, Cavallaro G, Plantulli A, Donzelli G, Guerrini R. Oral topiramate in neonates with hypoxic ischemic encephalopathy treated with hypothermia: a safety study. *J Pediatr*. 2010; 157:361-366.

- 51) B Fiege, F Menni, A Orsi, MR Colnaghi, G la Marca, A Morrone, MA Donati, F Mosca. Pompe Disease in the Newborn: Clinical Diagnosis, Enzyme Activity Assessment and Timely Introduction of Enzyme Replacement Therapy (ERT) on the VII Day Of Life. *J Inherit Metab Dis.* 2011; 34:S196.
- 52) Dani FR, Michelucci E, Francese S, Mastrobuoni G, Cappellozza S, la Marca G, Niccolini A, Felicioli A, Moneti G, Pelosi P. Odorant-binding proteins and chemosensory proteins in pheromone detection and release in the silkmoth *bombyx mori*. *Chem Senses.* 2011; 36:335-44.
- 53) la Marca G, Malvagia S, Filippi L, Innocenti M, Rosati A, Falchi M, Pellacani S, Moneti G, Guerrini R. Rapid assay of rufinamide in dried blood spots by a new liquid chromatography-tandem mass spectrometric method. *J Pharm Biomed Anal.* 2011;54:192-7.
- 54) Ristori C, Filippi L, Dal Monte M, Martini D, Cammalleri M, Fortunato P, la Marca G, Fiorini P, Bagnoli P. Role of the adrenergic system in a mouse model of oxygen-induced retinopathy: antiangiogenic effects of beta-adrenoreceptor blockade. *Invest Ophthalmol Vis Sci.* 2011; 52:155-70.
- 55) Isacchi B; Arrigucci S; la Marca G; Bergonzi MC, Vannucchi MG; Novelli A, Bilia AR. Conventional and long-circulating liposomes of artemisinin: preparation, characterisation and pharmacokinetic profile in mice. *J Liposome Res.* 2011;10:714-21.
- 56) Bernini P, Bertini I, Calabrò A, la Marca G, Lami G, Luchinat C, Renzi D, Tenori L. Are Patients with Potential Celiac Disease Really Potential? The answer of metabolomics. *J Proteome Res.* 2011; 10:714-721.
- 57) Filippi L, la Marca G, Fiorini P, Favelli F, Malvagia S, Donzelli G, Guerrini R. Phenobarbital for neonatal seizures in hypoxic ischemic encephalopathy: a pharmacokinetic study during whole body hypothermia. *Epilepsia*, 2011; 52:794-801.
- 58) Richichi B, Luzzatto L, Notaro R, la Marca G, Nativi C. Synthesis of the essential core of the human glycosylphosphatidylinositol (GPI) anchor. *Bioorg Chem.* 2011; 39:88-93.
- 59) McHugh D.,, la Marca G et al, Clinical validation of cutoff target ranges in newborn screening of metabolic disorders by tandem mass spectrometry: a worldwide collaborative project. *Genet Med.* 2011; 13:230-54.
- 60) Sardi I, la Marca G, Giovannini MG, Malvagia S, Guerrini R, Genitori L, Massimino M, Aricò M. Detection of doxorubicin hydrochloride accumulation in the rat brain after morphine treatment by mass spectrometry. *Cancer Chemother Pharmacol.* 2011; 67:1333-40.
- 61) Azzari C, la Marca G, Resti M. Neonatal screening for severe-combined-immunodeficiency due to adenosine-deaminase defect: a reliable and inexpensive method by tandem-mass-spectrometry. *J All Clin Immunol*, 2011; 127:1394-9.
- 62) la Marca G, Rizzo C. Analysis of organic acids and acylglycines for the diagnosis of related inborn errors of metabolism by GC- and HPLC-MS. *Methods Mol Biol.* 2011; 708:73-98.
- 63) Daniotti M, la Marca G, Fiorini P, Filippi L. New developments in the treatment of hyperammonemia: emerging use of carnitine. *International Journal of General Medicine*, review, 2011, 4:21-28.
- 64) Ion Popa F, Perlini S, Teofoli F, la Marca G, Rinaldo P, Funghini S, Boner A, Camilot M. 3-hydroxyacyl-Coenzyme A dehydrogenase deficiency: Identification of a new mutation causing hyperinsulinemic hypoketotic

hypoglycemia. J Inherit Metab Dis, Reports, 2011.

65) la Marca G, Malvagia S, Pasquini E, Cavicchi C, Morrone A, Ciani F, Funghini S, Villanelli F, Zammarchi E, Guerrini R. Newborn screening for Tyrosinemia Type I: Further evidence that succinylacetone determination on blood spot is essential. J Inherit Metab Dis, Reports 2011.

66) Boenzi S, Rizzo C, Di Ciommo VM, Martinelli D, Goffredo BM, la Marca G, Dionisi-Vici C, Simultaneous determination of creatine and guanidinoacetate in plasma by liquid chromatography-tandem mass spectrometry (LC-MS/MS). J Pharm Biomed Anal. 2011; 56: 792-8.

67) la Marca G: Screening neonatale per malattie metaboliche ereditarie mediante spettrometria di massa. Rivista Italiana di Medicina Perinatale, 2011, (11) 6-9.

68) JH Kim, HB Song, G. la Marca et al. Biology. Neuro-Oncology, 2012; 14 (S1):7-15.

69) I Pagnini, G Simonini, L Cavalli, G la Marca, S Sollai, A Iuliano, ML Brandi, F Bellisai, M Galeazzi, L Cantarini, R Cimaz. Bone Status Of Children Born From Mothers With Autoimmune Diseases Treated During Pregnancy With Low Molecular Weight Heparin And/Or Prednisone. Anns Rheum Dis. 2012; 71: 262.

70) C Canessa, F Lippi, G la Marca, F Romano, E Giocaliere, L Bianchi, M Resti, C Azzari Tandem Mass Spectrometry But Not Trec Levels Identifies Delayed-Onset And Late-Onset Ada-Deficiency On Dried Blood Spot Taken At Birth. J Clin Immunol 2012; 32:310-11.

71) la Marca G, Malvagia S, Materazzi S, Della Bona ML, Boenzi S, Martinelli D, Dionisi-Vici C. LC-MS/MS method for simultaneous determination on a dried blood spot of multiple analytes relevant for treatment monitoring in patients with tyrosinemia type I. Anal Chem. 2012; 84:1184-8.

72) D'Apolito O, Garofalo D, la Marca G, Dello Russo A, Corso G. Reference intervals for orotic acid in urine, plasma and dried blood spot using hydrophilic interaction liquid chromatography-tandem mass spectrometry. J Chromatogr B Analyt Technol Biomed Life Sci. 2012 ; 883-884:155-60.

73) Nassini R, Materazzi S, Vriens J, Prenen J, Benemei S, De Siena G., la Marca G, Andr  E, Preti D, Avonto C, Di Marzo V, De Petrocellis L, Dussor G, Porreca F, Taglialatela-Scafati O, Appendino G, Nilius B, Geppetti P. The 'headache tree', via umbellulone and trpa1, activates the trigeminovascular system. Brain. 2012; 135(Pt 2):376-90.

74) la Marca G. Expanded newborn screening by tandem mass spectrometry: future tests, new Perspective. Ligand Assay, 2012, March, 17 (1), 6-12.

75) la Marca G, Giocaliere E, Villanelli F, Malvagia S, Funghini S, Moneti G, De Gaudio M, De Martino M, Galli L. Development of a high-throughput UPLC-MS/MS method for determination of antibiotic ertapenem on dried blood spots. J Pharm Biomed Anal. 2012; 61:108-13.

76) Ferri L, Guido C, la Marca G, Malvagia S, Cavicchi C, Fiumara A, Parini R, Antuzzi D, Zampetti A, Guerrini R, Giglio S, Genuardi M, Donati MA, Morrone A. Fabry disease: polymorphic haplotypes and a novel missense mutation in the GLA gene. Clin Genet. 2012; 81:224-33.

77) Porto C, Pisani A, Rosa M, Acampora E, Avolio V, Tuzzi MR, Visciano B, Gagliardo C, Materazzi S, la Marca G, Andria G, Parenti G. Synergy between the pharmacological chaperone 1-deoxygalactonojirimycin and the human recombinant alpha-galactosidase A in cultured fibroblasts from patients with Fabry disease. J

Inherit Metab Dis. 2012; 35:513-20.

78) Marquardt G,la Marca G, et al. Enhanced interpretation of newborn screening results without analyte cutoff values. *Genet Med*. 2012; 14:648-55.

79) Guerrini R., Zaccara G, la Marca G, Rosati A Safety and tolerability of antiepileptic drug treatment in children with epilepsy. *Drug Saf*. 2012; 35:519-33.

80) la Marca G, Giocaliere E, Villanelli F, Malvagia S, Funghini S, Moneti G, De Gaudio M, Chioappini E, De Martino M, Galli L. Rapid and sensitive LC-MS/MS method for the analysis of antibiotic linezolid on dried blood spot. *J Pharm Biomed Anal*. 2012; 67-68:86-91.

81) Filippi L, Fiorini P, Daniotti M, Catarzi S, Savelli S, Fonda C, Bartalena L, Boldrini A, Giampietri M, Scaramuzzo R, Papoff P, Del Balzo F, Spalice A, la Marca G, Malvagia S, Della Bona ML, Donzelli G, Tinelli F, Cioni G, Pisano T, Falchi M, Guerrini R. Safety and efficacy of topiramate in neonates with hypoxic ischemic encephalopathy treated with hypothermia (NeoNATI). *BMC Pediatr*. 2012;12:144.

82) Filippi L, Catarzi S, Padrini L, Fiorini P, la Marca G, Guerrini R, Donzelli G. Strategies for reducing the incidence of skin complications in newborns treated with whole-body hypothermia. *J Matern Fetal Neonatal Med*. 2012; 25:2115-21.

83) Speckmann C, Neumann C, Borte S, la Marca G, Sass JO, Wiech E, Fisch P, Schwarz K, Buchholz B, Schlesier M, Felgentreff K. Delayed-onset adenosine deaminase deficiency: Strategies for an early diagnosis. *J Allergy Clin Immunol*. 2012;130:991-4.

84) Filippi L, Catarzi S, Gozzini E, Fiorini P, Falchi M, Pisano T, la Marca G., Donzelli G, Guerrini R Hypothermia for neonatal hypoxic-ischemic encephalopathy: may an early amplitude-integrated EEG improve the selection of candidates for cooling? *J Matern Fetal Neonatal Med*. 2012 Nov;25(11):2171-6. doi: 10.3109/14767058.2012.683896. Epub 2012 May 4.

85) Sardi I, la Marca G, Cardellicchio S, Da Ros M, Malvagia S, Giunti L, Fratoni V, Farina S, Aricò M, Genitori L, Massimino M, Giovannini MG. Ondansetron pre-treatment facilitates blood-brain barrier penetration of doxorubicin in rat model. *Neuro-Oncology*. 2012 (14) Suppl 1; p. 9-9.

86) I Pagnini, G Simonini, L Cavalli, G la Marca, S Sollai, A Iuliano, ML Brandi, F Bellisai, M Galeazzi, L Cantarini, R Cimaz. Bone status of children born from mothers with autoimmune diseases treated during pregnancy with low molecular weight heparin and/or prednisone. *Ann Rheum Dis*. 2013; 71 (S3): 262.

87) la Marca G, Rosati A, Falchi M, Malvagia S, Della Bona ML, Pellacani S, Guerrini R. A pharmacokinetic study and correlation with clinical response of rufinamide in infants with epileptic encephalopathies. *Pharmacology*. 2013 May 24;91(5-6):275-280.

88) Cavallaro G, Filippi L, Bagnoli P, la Marca G, Cristofori G, Araimo G, Fumagalli M, Groppo M, Osnaghi S, Fiorini P, Mosca F. Update about the pathophysiology of retinopathy of prematurity: old and new knowledge. *Acta Ophthalmol*. 2013 Apr 26. doi: 10.1111/aos.12049.

89) Dal Monte M, la Marca G, Isacchi B, Filippi L, Bagnoli P. Eye drop propranolol administration promotes the recovery of oxygen induced retinopathy in mice. *Exp Eye Res*. 2013 Jun;111:27-35. doi: 10.1016/j.exer.2013.03.013.

- 90) Della Bona ML, Malvagia S, Villanelli F, Giocaliere E, Ombrone D, Funghini S, Filippi L, Cavallaro G, Bagnoli P, Guerrini R, la Marca G. A rapid liquid chromatography tandem mass spectrometry-based method for measuring propranolol on dried blood spots. *J Pharm Biomed Anal.* 2013 May 5;78-79:34-8. doi: 10.1016/j.jpba.2013.01.034.
- 91) Filippi L, Cavallaro G, Fiorini P, Malvagia S, Della Bona ML, Giocaliere E, Bagnoli P, Dal Monte M, Mosca F, Donzelli G, la Marca G. Propranolol concentrations after oral administration in term and preterm neonates. *J Matern Fetal Neonatal Med.* 2013 May;26(8):833-40. doi: 10.3109/14767058.2012.755169.
- 92) Peired A, Angelotti ML, Ronconi E, la Marca G, Mazzinghi B, Sisti A, Lombardi D, Giocaliere E, Della Bona ML, Villanelli F, Parente E, Ballerini L, Sagrinati C, Lazzeri E, Lasagni L, Romagnani P. Proteinuria impairs glomerular repair by sequestering retinoic acid. *J Am Soc Nephrol.* 2013 Nov;24(11):1756-68. doi: 10.1681/ASN.2012090950.
- 93) la Marca G; Canessa C; Giocaliere E, Romano F, Duse M, Malvagia S, Lippi F, Funghini S, Bianchi L, Della Bona ML, Valleriani C, Ombrone D, Moriondo M, Villanelli F, Speckmann C, Adams S, Gaspar BH, Hershfield M, Santisteban I, Fairbanks L, Ragusa G, Resti M, de Martino M, Guerrini R, Azzari C. Tandem mass spectrometry but not T-cell receptor excision circle analysis, identifies newborns with late-onset adenosine deaminase deficiency, *J Allergy Clin Immunol.* 2013 Jun;131(6):1604-10.
- 94) la Marca G, Giocaliere E, Malvagia S, Funghini S, Ombrone D, Della Bona M.L, Canessa C, Lippi F, Romano F, Guerrini R, Resti M, Azzari C. The inclusion of ADA-SCID in expanded newborn screening by tandem mass spectrometry. *J Pharm Biomed Anal.* 2014 Jan;88:201-6.
- 95) Filippi L, Cavallaro G, Bagnoli P, Dal Monte M, Fiorini P, Donzelli G, Tipelli F, Araimo G, Cristofori G, la Marca G, Della Bona ML, La Torre A, Fortunato P, Furlanetto S, Osnaghi S, Mosca F. Oral Propranolol for Retinopathy of Prematurity: Risks, Safety Concerns, and Perspectives. *J Pediatr.* 2013 Sep 18.
- 96) Sardi I, la Marca G, Cardellicchio S, Giunti L, Malvagia S, Genitori L, Massimino M, de Martino M, Giovannini MG. Pharmacological modulation of blood-brain barrier increases permeability of doxorubicin into the rat brain. *Am J Cancer Res.* 2013 Aug 14;3(4):424-32.
- 97) Nativi C, Gualdani R, Dragoni E, Di Cesare Mannelli L, Sostegni S, Norcini M, Gabrielli G, la Marca G, Richichi B, Francesconi O, Moncelli MR, Ghelardini C, Roelens S. A TRPA1 antagonist reverts oxaliplatin-induced neuropathic pain. *Sci Rep.* 2013;3:2005. doi: 10.1038/srep02005.
- 98) Catarzi S, Caciotti A, Thusberg J, Tonin S, Malvagia S, la Marca g, Pasquini E, Cavicchi C, Ferri L, Donati M.A, Baronio F, Guerrini R, Mooney S.D, Morrone A. Medium-chain acyl-CoA deficiency: outlines from newborn screening, in silico predictions and molecular studies, *ScientificWorldJournal.* 2013 Oct 31;2013:625824.
- 99) Ferri L, Funghini S, Fioravanti A, Biondi E, la Marca G, Guerrini R, Donati M, Morrone A. Aminoacylase I deficiency due to ACY1 mRNA exon skipping. *Clin Genet.* 2013 Oct 9. doi: 10.1111/cge.12297.
- 100) Azzari C, Cupone R, Giocaliere E, Canessa C, Lippi F, la Marca G. Screening neonatale delle immunodeficienze congenite: stato attuale e prospettive, *Prospettive in Pediatria*, Ottobre-Dicembre 2013.Vol.43N.172. Pp. 208-214.

- 101) Ombrone D, Malvagia S, Funghini S, Giocaliere E, Della Bona ML, Forni G, De Luca A, Villanelli F, Casetta B, Guerrini R and la Marca G., Screening of Lysosomal Storage Disorders: Application of the Online Trapping-and-Cleanup Liquid Chromatography/ Mass Spectrometry Method for Mucopolysaccharidosis I. *Eur J Mass Spectrom* (Chichester, Eng). 2013;19(6):497-503.
- 102) la Marca G, Malvagia S, Toni S, Piccini B, Di Ciommo V and Bottazzo GF, Children who develop type 1 diabetes early in life show low levels of carnitine and aminoacids at birth: does this finding shed light on the etiopathogenesis of the disease? *Nutr Diabetes*. 2013 Oct 28;3:e94. doi: 10.1038/nutd.2013.33.
- 103) O Musumeci, G la Marca, S Pagliardini, M Spada, C Danesino, Gp Comi, E Pegoraro, G Antonini, G Marrosu, R Liguori, L Morandi, M Moggio, R Massa, S Ravaglia, A Di Muzio, C Angelini, M Filosto, P Tonin, G Di Iorio, S Servidei, G Siciliano, T Mongini, A Toscano Early diagnosis and early treatment in LOPD: when asymptomatic patients should be treated. *Acta Myologica*. 2014; 33:63
- 104) O. Musumeci, G. la Marca, S, Pagliardini, M. Spada, C. Danesino, G. Comi, E. Pegoraro, G. Antonini, G. Marrosu, R. Liguori, L. Morandi, M. Moggio, R. Massa, S. Ravaglia, A. Di Muzio, C. Angelini, M. Filosto, P. Tonin, G. Di Iorio, S. Servidei, G. Siciliano, T. Mongini, A. Toscano Looking for an Early Diagnosis in a Late Onset Pompe Disease High Risk Population: A LOPED Study. *Neurology*. 2014; 82:15
- 105) O Musumeci, G la Marca, S Pagliardini, M Spada, C Danesino, GP Comi, E Pegoraro, G Antonini, G Marrosu, R Liguori, L Morandi, M Moggio, R Massa, S Ravaglia, A di Muzio, C Angelini, M Filosto, P Tonin, G Diiorio, S Servidei, G Siciliano, T Mongini, A Toscano. Early diagnosis and early treatment in LOPD: when asymptomatic patients should be treated. *J Neurol*. 2014; 261:S142
- 106) F. Celmeli, G, la Marca, I. Santisteban, M.S. Hershfield. Late Onset Purine Nucleoside Phosphorylase Deficiency with Spastic Paraplegia. *J Clin Immunol*. 2014; 34(6):717-18
- 107) I. Sardi, S. Cardellicchio, A.L. Iorio, M. da Ros, G. la Marca, L. Giunti, M. Massimino, L. Genitori. Pharmacological Modulation of Blood-Brain Barrier: Future Strategy for Treatment Of Brain Tumors. *Neuro-Oncology*. 2014; 16:i36
- 108) E.A. Gonzalez, M. Piquer, E. Ruiz, E. Gonzalez, E. Giocaliere, G. La Marca, J. Garcia-Villoria, A.M. Plaza, J. Yaguee, I. Badell, A. Ribes, J.I. Arostegui, L. Alsina, M. Juan-Otero. New ADA-Mutation Defining an Alternative Splicing in a Patient with SCID TB-NK. *J Clin Immunol*. 2014; 34:454
- 109) C Canessa, F Lippi, S Ricci, F Romano, E Giocaliere, G la Marca, C Azzari. Adenosine Deaminase Deficiency: Genotype-Phenotype Correlation Based on Toxic Metabolite Levels Measured by Tandem Mass Spectrometry. *J Clin Immunol*. 2014; 34:S464-65
- 110) Rissone, K Weinacht, G la Marca, K Bishop, E Giocaliere, J Jagadeesh, K Felgentreff, K Dobbs, W Al-Herz, M Jones, S Chandrasekharappa, Y Itan, A Schambach, R Sood, LD Notarangelo, F Candotti. AK-2 Prevents From Oxidative Stress During HSC Development and Hematopoietic Differentiation. *J Clin Immunol*. 2014; 34:S383-84
- 111) la Marca G, Canessa C, Giocaliere E, Romano F, Moriondo M, Lippi F, Ombrone D, Della Bona ML, Speckmann C, Borte S, Brodzski N., Gennery AR, Weinacht K, Celmeli F, Pagel J, de Martino M, Guerrini R, Hershfield M, Notarangelo LD, Resti M and Azzari C, Diagnosis of severe combined immunodeficiency

- caused by purine nucleoside phosphorylase defect on dried blood spots: a reliable method using tandem mass spectrometry. *J Allergy Clin Immunol*. 2014 Jul;134(1):155-159.
- 112) Rizzo C, Boenzi S, Inglese R, la Marca G, Muraca M, Martinez TB, Johnson D, Zelli E, Dionisi-Vici C. Measurement of succinyl-carnitine and methylmalonil-carnitine on dried blood spot by liquid chromatography-tandem mass spectrometry. *Clin Chim Acta*. 2014 Feb 15;429:30-3.
- 113) la Marca G. The use of Mass Spectrometry in Clinical Biochemistry: the case of Newborn Screening., *J Pharm Biomed Anal*. 2014 Dec;101:174-82. Review.
- 114) la Marca G: Lysosomal storage disorders in physician's guide to the diagnosis, treatment, and follow-up of metabolic diseases. Springer Press, 2014.
- 115) Cavicchi C, Donati MA, Parini R, Rigoldi M, Bernardi M, Orfei F, Gentiloni Silveri N, Colasante A, Funghini S, Catarzi S, Pasquini E, la Marca G, Mooney SD, Guerrini R, Morrone A. Sudden unexpected fatal encephalopathy in adults with OTC gene mutations - Clues for early diagnosis and timely treatment. *Orphanet J Rare Dis*. 2014 Jul 16;9:105.
- 116) Padriani L, Isacchi B, Bilia AR, Pini A, Lanzi C, Masini E, Della Bona M, Calvani AM, Ceccantini R, la Marca G, Filippi L. Pharmacokinetics and local safety profile of propranolol eye drops in rabbits, *Pediatr Res*. 2014 Oct;76(4):378-85.
- 117) Parenti G, Fecarotta S, la Marca G, Rossi B, Ascione S, Donati MA, Morandi LO, Ravaglia S, Pichiecchio A, Ombrone D, Sacchini M, Pasanisi MB, De Filippi P, Danesino C, Della Casa R, Romano A, Mollica C, Rosa M, Agovino T, Nusco E, Porto C, Andria G. MD1A chaperone enhances blood alpha-glucosidase activity in pompe disease patients treated with enzyme replacement therapy, *Mol Ther*. 2014 Nov;22(11):2004-12.
- 118) G. la Marca. Newborn Screening: Are We Ready for It? *J Neuromuscul Dis*. 2015; 2(S1):10
- 119) R. Gualdani, S. Ceruti, G. Magni, D. Merli, L. di Cesare Mannelli, O. Francesconi, B. Richichi, G. la Marca, C. Ghelardini, M.R. Moncelli, C. Nativi. The Role of TRPA1 and TRPV1 Channels in Orofacial Pain. *Biophys J*. 2015; 108 (2):123.
- 120) M. Pasquali, C. Auray-Blais, K. Ellsworth, M. Fietz, R. Giugliani, P. Harmatz, E. Izzo, G. la Marca, P. Lavoie, D. Millington, M. Trinh, N. van Vlies, F. Wijburg, T. Wood, H. Zhang, N. Miller. Urine karatan sulfate (uKS) in Morquio syndrome type A patients measured via LC-MS/MS method: Improved KS detection as compared to dye-based methods and report of age-specific uKS reference ranges. *Mol Genet Metab*. 2015; 114 (2):S91
- 121) Rissone A, Weinacht K, la Marca G, Bishop K, Giocaliere E, Jagadeesh J, Felgentreff K, Dobbs K, Al-Herz W, Jones M, Itan Y, Schambach A, Sood R, Notarangelo LD and Candotti F. Antioxidant Treatment Rescues Hematopoietic Phenotypes in Cellular and Animal Models of Reticular Dysgenesis, *J Exp Med*. 2015 Jul 27;212(8):1185-202.
- 122) Luccarini I, Grossi C, Rigacci S, Coppi E, Pugliese AM, Pantano D, la Marca G, Ed Dami T, Berti A, Stefani M, Casamenti F. Oleuropein aglycone protects against pyroglutamylated-3 Aβ toxicity: biochemical, epigenetic and functional correlates, *Neurobiol Aging*. 2015 Feb;36(2):648-63.
- 123) Sardi I, Fantappiè O, la Marca G, Giovannini MG, Iorio AL, da Ros M, Malvagia S, Cardellicchio S,

- Giunti L, de Martino M and Mazzanti R. livery of doxorubicin across the blood brain barrier by ondansetron pretreatment: a study in vitro and in vivo. *Cancer Lett.* 2014 Oct 28;353(2):242-7.
- 124) Villanelli F, Giocaliere E, Malvagia S, Rosati A, Forni G, Funghini S, Shokry E, Ombrone d, Della Bona M, Guerrini R, la Marca G, Dried blood spot assay for the quantification of phenytoin using Liquid Chromatography-Mass Spectrometry, *Clin Chim Acta.* 2014, Nov 12;440C:31-35.
- 125) Pagnini I, Simonini G, Cavalli L, la Marca G, Iuliano A, Brandi ML, Bellisai F, Frediani B, Galeazzi M, Cantarini L, Cimaz R. Bone status of children born from mothers with autoimmune diseases treated during pregnancy with prednisone and/or low molecular weight heparin. *Pediatr Rheumatol Online J.* 2014 Oct 23;12:47.
- 126) Celmeli F, Turkkahraman D, Uygun V, la Marca G, Hershfield M, Yesilipek A. A successful unrelated peripheral blood stem cell transplantation with reduced intensity conditioning regimen in a patient with late-onset purine nucleoside phosphorylase deficiency. *Pediatr Transplant.* 2015 Mar;19(2):E47-50.
- 127) Tonin R, Caciotti A, Funghini S, la Marca G, Pasquini E, Cayton E, Mooney SD, Guerrini R, Morrone A.. Biotinidase deficiency due to a de novo mutation or gonadal mosaicism in a first child. *Clin Chim Acta.* 2015 May 20;445:70-2.
- 128) Shokry E, Villanelli F, Malvagia S, Rosati A, Forni G , Funghini S, Ombrone D, Della Bona M, Guerrini R, la Marca G. Therapeutic drug monitoring of Carbamazepine and its metabolite in children from dried blood spots using liquid chromatography and tandem mass spectrometry. *J Pharm Biomed Anal.* 2015 May 10;109:164-70.
- 129) Musumeci O, la Marca G, Spada M, S. Mondello, Danesino C, Comi GP, Pegoraro E, Antonini G, Marrosu G, Liguori R, Morandi L, Moggio M, Massa R, Ravaglia S, Di Muzio A, Filosto M, Tonin P, Di Iorio G, Servidei S, Siciliano G, Angelini C, Mongini T, Toscano A and the Italian GSD II group. LOPED Study: looking for an early diagnosis in a late onset Pompe Disease high-risk population, *J Neurol Neurosurg Psychiatry.* 2016 Jan;87(1):5-11
- 130) Ombrone D, Giocaliere E, Forni G, Malvagia S, la Marca G, Expanded Newborn Screening by Mass Spectrometry: new tests, future perspectives. *Mass Spectrom Rev.* 2016 Jan;35(1):71-84.
- 131) la Marca G, Giocaliere E, Malvagia S, Villanelli F, Funghini S, Ombrone D, Della Bona M, Forni G, Canessa C, Ricci S, Romano F, Guerrini R, Resti M, Azzari C. Development and validation of a 2nd tier test for identification of purine nucleoside phosphorylase deficiency patients during expanded newborn screening by liquid chromatography-tandem mass spectrometry. *Clin Chem Lab Med.* 2016 Apr 1;54(4):627-32.
- 132) Malvagia S, Haynes CA, Grisotto L, Ombrone D, Funghini S, Moretti E, McGreevy KS, Biggeri A, Guerrini R, Yahyaoui R, Garg U, Seeterlin M, Chace D, De Jesus VR, la Marca G. Heptadecanoylcarnitine (C17) a novel candidate biomarker for newborn screening of propionic and methylmalonic acidemias. *Clin Chim Acta.* 2015 Sep 11. pii: S0009-8981(15)00421-0. doi: 10.1016/j.cca.2015.09.012.
- 133) Stauffer C, Lindner M, Dionisi-Vici C, Dobbelaere D, Freisinger P, Makhseed N, Harting I, Straub BK, Kahrizi K, Ballhausen D, la Marca G, Kölker S, Hoffmann G, Grünert SJ, Blom HJ, Adenosine kinase deficiency: extending the clinical spectrum and evaluating therapeutic options, *J Inher Metab Dis.* 2016

Mar;39(2):273-83.

134) Filippi L, Cavallaro G, Berti E, Padriani L, Araimo G, Regiroli G, Bozzetti V, De Angelis C, Tagliabue P, Tomasini B, Buonocore G, Agosti M, Bossi A, Chirico G, Aversa S, Pasqualetti R, Fortunato P, Osnaghi S, Cavallotti B, Vanni M, Borsari G, Donati S, Nascimbene G, la Marca G, Forni G, Milani S, Cortinovis I, Bagnoli P, Dal Monte M, Calvani AM, Pugi A, Villamor E, Donzelli G, Mosca F. Study protocol: safety and efficacy of propranolol 0.2% eye drops in newborns with a precocious stage of retinopathy of prematurity (DROP-ROP-0.2%): a multicenter, open-label, single arm, phase II trial. *BMC Pediatr.* 2017 Jul 14;17(1):165. doi: 10.1186/s12887-017-0923-8.

135) Filippi L, Cavallaro G, Bagnoli P, Dal Monte M, Fiorini P, Berti E, Padriani L, Donzelli G, Araimo G, Cristofori G, Fumagalli M, la Marca G, Della Bona ML, Pasqualetti R, Fortunato P, Osnaghi S, Tomasini B, Vanni M, Calvani AM, Milani S, Cortinovis I, Pugi A, Agosti M, Mosca F. Propranolol 0.1% eye micro-drops in newborns with retinopathy of prematurity: a pilot clinical trial. *Pediatr Res.* 2017 Feb;81(2):307-314. doi: 10.1038/pr.2016.230.

136) Tonin R, Caciotti A, Funghini S, Pasquini E, Mooney SD, Cai B, Procopio E, Donati MA, Baronio F, Bettocchi I, Cassio A, Biasucci G, Bordugo A, la Marca G; Guerrini R, Morrone A. Clinical relevance of short-chain acyl-CoA dehydrogenase (SCAD) deficiency: exploring the role of new variants including the first SCAD- disease- causing allele carrying a synonymous mutation. *BBA Clinical*, 2016, Mar 10;5:114-9.

137) Filippi L, Tamburini A, Berti E, Perrone A, Defilippi C, Favre C, Calvani M, Della Bona ML, la Marca G, Donzelli G. Successful Propranolol Treatment of a Kaposiform Hemangioendothelioma Apparently Resistant to Propranolol. *Pediatr Blood Cancer.* 2016 Jul;63(7):1290-2. doi: 10.1002/pbc.25979.

138) Cristofano A, Sapere N, La Marca G, Angiolillo A, Vitale M, Corbi G, Scapagnini G, Intrieri M, Russo C, Corso G, Di Costanzo A. Serum Levels of Acyl-Carnitines along the Continuum from Normal to Alzheimer's Dementia. *PLoS One.* 2016 May 19;11(5):e0155694. doi: 10.1371/journal.pone.0155694.

139) Huemer M, Diodato D, Schwahn B, Schiff M, Bandeira A, Benoist JF, Burlina A, Cerone R, Couce ML, Garcia-Cazorla A, la Marca G, Pasquini E, Vilarinho L, Weisfeld-Adams JD, Kožich V, Blom H, Baumgartner MR, Dionisi-Vici C. Guidelines for diagnosis and management of the cobalamin-related remethylation disorders cblC, cblD, cblE, cblF, cblG, cblJ and MTHFR deficiency. *J Inherit Metab Dis.* 2017 Jan;40(1):21-48. doi: 10.1007/s10545-016-9991-4.

140) Sauer AV, Hernandez RJ, Fumagalli F, Bianchi V, Poliani PL, Dallatomašina C, Riboni E, Politi LS, Tabucchi A, Carlucci F, Casiraghi M, Carriglio N, Cominelli M, Forcellini CA, Barzaghi M, Ferrua F, la Marca G, Azzari C, Baldoli C, Canale S, Sessa M, d'Adamo P, Aiuti A, Alterations in the brain adenosine metabolism cause behavioral and neurological impairment in ADA-deficient mice and patients, *Sci Rep.* 2017 Jan 11;7:40136. doi: 10.1038/srep40136.

141) Filippi L, Fiorini P, Catarzi S, Berti E, Padriani L, Landucci E, Donzelli G, Bartalena L, Fiorentini E, Boldrini A, Giampietri M, Scaramuzzo RT, la Marca G, Della Bona ML, Fiori S, Tinelli F, Bancale A, Guzzetta A, Cioni G, Pisano T, Falchi M, Guerrini R. Safety and efficacy of Topiramate in neonates with hypoxic ischemic encephalopathy treated with hypothermia (NeoNATI): a feasibility study. *J Matern Fetal*

Neonatal Med. 2017 Mar 8;1-23. doi: 10.1080/14767058.2017.1304536.

142) Corso G, Cristofano A, Sapere N, la Marca G, Angiolillo A, Vitale M, Fratangelo R, Lombardi T, Porcile C, Intrieri M, Di Costanzo A. Serum Amino Acid Profiles in Normal Subjects and in Patients with or at Risk of Alzheimer Dementia. *Dement Geriatr Cogn Dis Extra*. 2017 May 4;7(1):143-159. doi: 10.1159/000466688.

143) Ricci F, Oranges T, Novembre E, Della Bona ML, la Marca G, de Martino M, Filippi L. New insights in the treatment of hematinosis with propranolol. *Arch Dis Child*. 2019 Feb;104(2):171. doi: 10.1136/archdischild-2017-314170. Epub 2018 Feb 6.

144) Pascarella A, Terracciano C, Farina O, Lombardi L, Esposito T, Napolitano F, Franzese G, Panella G, Tuccillo F, la Marca G, Bernardini S, Boffo S, Giordano A, Melone MAB, Di Iorio G, Sampaolo S. Vacuolated PAS-positive lymphocytes as an hallmark of Pompe disease and other myopathies related to impaired autophagy. *J Cell Physiol*. 2018 Aug;233(8):5829-5837. doi: 10.1002/jcp.26365

145) Ardissino G, Tel F, Possenti I, Pavesi M, Perrone M, Forni G, Salice P, Colombo L, Ghirardello S, Castiglione B, Consonni D, Baca L, Vecchi DL, la Marca G, Mosca F. Serum creatinine during physiological perinatal dehydration may estimate individual nephron endowment. *Eur J Pediatr*. 2018 Sep;177(9):1383-1388. doi: 10.1007/s00431-018-3087-0

146) Cavicchi C, Chilleri C, Fioravanti A, Ferri L, Ripandelli F, Costa C, Calabresi P, Prontera P, Pochiero F, Pasquini E, Funghini S, la Marca G, Donati MA, Morrone A. Late-Onset N-Acetylglutamate Synthase Deficiency: Report of a Paradigmatic Adult Case Presenting with Headaches and Review of the Literature. *Int J Mol Sci*. 2018 Jan 24;19(2). pii: E345. doi: 10.3390/ijms19020345.

147) Keller R, Chrastina P, Pavlíková M, Gouveia S, Ribes A, Kölker S, Blom HJ, Baumgartner MR, Bártl J, Dionisi Vici C, Gleich F, Morris AA, Kožich V, Huemer M; and individual contributors of the European Network and Registry for Homocystinurias and Methylation Defects (E-HOD), Barić I, Ben-Omran T, Blasco-Alonso J, Bueno Delgado MA, Carducci C, Cassanello M, Cerone R, Couce ML, Crushell E, Delgado Pecellin C, Dulin E, Espada M, Ferino G, Fingerhut R, Garcia Jimenez I, Gonzalez Gallego I, González-Irazabal Y, Gramer G, Juan Fita MJ, Karg E, Klein J, Konstantopoulou V, la Marca G, Leão Teles E, Leuzzi V, Lilliu F, Lopez RM, Lund AM, Mayne P, Meavilla S, Moat SJ, Okun JG, Pasquini E, Pedron-Giner C, Racz GZ, Ruiz Gomez MA, Vilarinho L, Yahyaoui R, Zerjav Tansek M, Zetterström RH, Zeyda M. Newborn screening for homocystinurias: recent recommendations versus current practice. *J Inher Metab Dis*. 2019 Jan;42(1):128-139. doi: 10.1002/jimd.12034.

148) Forni G, Malvagía S, Funghini S, Scolamiero E, Mura M, Della Bona M, Villanelli F, Damiano R, la Marca G. LC-MS/MS method for simultaneous quantification of heparan sulfate and dermatan sulfate in urine by butanolysis derivatization. *Clin Chim Acta*. 2019 Jan;488:98-103. doi: 10.1016/j.cca.2018.11.001. Epub 2018 Nov 2.

149) Scolamiero E, Casetta B, Malvagía S, Tanigawa T, Forni G, Funghini S, Mura M, Raspini F, Poggiali S, la Marca G. Development of a fast LC-MS/MS protocol for combined measurement of six LSDs on dried blood spot in a newborn screening program. *J Pharm Biomed Anal*. 2019 Feb 20;165:135-140. doi: 10.1016/j.jpba.2018.12.002. Epub 2018 Dec 3.

- 150) Ruzzolini J, Peppicelli S, Andreucci E, Bianchini F, Scardigli A, Romani A, la Marca G, Nediani C, Calorini L. Oleuropein, the Main Polyphenol of *Olea europaea* Leaf Extract, Has an Anti-Cancer Effect on Human BRAF Melanoma Cells and Potentiates the Cytotoxicity of Current Chemotherapies. *Nutrients*. 2018 Dec 8;10(12). pii: E1950. doi: 10.3390/nu10121950.
- 151) Forni G, Malvagia S, Funghini S, Scolamiero E, Mura M, Bona MD, Villanelli F, Damiano R, la Marca G. Data in support for the measurement of heparan sulfate and dermatan sulfate by LC-MS/MS analysis. *Data Brief*. 2018 Nov 26;21:2398-2404. doi: 10.1016/j.dib.2018.11.100. eCollection 2018 Dec. PMID: 30547065
- 152) Filippi L, Cavallaro G, Berti E, Padrini L, Araimo G, Regiroli G, Raffaeli G, Bozzetti V, Tagliabue P, Tomasini B, Mori A, Buonocore G, Agosti M, Bossi A, Chirico G, Aversa S, Fortunato P, Osnaghi S, Cavallotti B, Suzani M, Vanni M, Borsari G, Donati S, Nascimbeni G, Nardo D, Piermarocchi S, la Marca G, Forni G, Milani S, Cortinovis I, Calvani M, Bagnoli P, Dal Monte M, Calvani AM, Pugi A, Villamor E, Donzelli G, Mosca F. Propranolol 0.2% Eye Micro-Drops for Retinopathy of Prematurity: A Prospective Phase IIB Study. *Front Pediatr*. 2019 May 7;7:180. doi: 10.3389/fped.2019.00180. eCollection 2019.
- 153) Notarangelo M, Zucal C, Modelska A, Pesce I, Scarduelli G, Potrich C, Lunelli L, Pederzoli C, Pavan P, la Marca G, Pasini L, Ulivi P, Beltran H, Demichelis F, Provenzani A, Quattrone A, D'Agostino VG. Ultrasensitive detection of cancer biomarkers by nickel-based isolation of polydisperse extracellular vesicles from blood. *EBioMedicine*. 2019 May;43:114-126. doi: 10.1016/j.ebiom.2019.04.039. Epub 2019 Apr 29.
- 154) Taruscio D, Kodra Y, Amicosante AMV, Bacco G, Battilomo S, Burlina A, Conti S, la Marca G, Minelli G, Leonardi A, Salvatore F, Segato A, Vaccarotto M, Del Favero A. Screening neonatale esteso nelle Regioni: monitoraggio dell'attuazione della Legge 167/2016 e del DM 13 ottobre 2016. *Stato dell'arte al 30 giugno 2017*. 2018, ii, 76 p. Rapporti ISTISAN 18/11
- 155) Taruscio D, Kodra Y, Amicosante AMV, Bacco G, Battilomo S, Burlina A, Privitera MG, la Marca G, Leonardi A, Salvatore F, Segato A, Vaccarotto M, Del Favero A. Screening neonatale esteso in Italia: Stato dell'arte al 30 settembre 2018.. *Stato dell'arte al 30 giugno 2017*. *Notiziario dell'Istituto Superiore di Sanità, Supplemento 1, al n. 10 vol. 32* (2019)
- 156) Calvani M, Bruno G, Dal Monte M, Nassini R, Fontani F, Casini A, Cavallini L, Becatti M, Bianchini F, De Logu F, Forni G, la Marca G, Calorini L, Bagnoli P, Chiarugi P, Pupi A, Azzari C, Geppetti P, Favre C, Filippi L. β_3 -Adrenoceptor as a potential immuno-suppressor agent in melanoma. *Br J Pharmacol*. 2019 Jul;176(14):2509-2524. doi: 10.1111/bph.14660. Epub 2019 May 9.
- 157) Forni G., Malvagia S., la Marca G. Utilizzo di nuove tecnologie per lo screening allargato. *MR: La Rivista Italiana della Malattie Rare*. 2019; 1:28-30
- 158) la Marca G. Gli screening neonatali: stato dell'arte in Italia. *Il Pediatra*. 2019 jun, 12-13
- 159) la Marca G. Il sistema di screening neonatale in Italia e l'accessibilità ai pazienti. *Policy and Procurement in Healthcare*. 2019, Vol 6, 23-26.
- 160) Hong X, Kumar AB, Daiker J, Yi F, Sadilek M, De Mattia F, Fumagalli F, Calbi V, Damiano R, Bona MD, la Marca G, Vanderver AL, Waldman AT, Adang L, Sherbini O, Woidill S, Suhr T, Kurtzberg J, Beltran-Quintero ML, Escolar M, Aiuti A, Gelb MH. Leukocyte and Dried Blood Spot Arylsulfatase A Assay by

- Tandem Mass Spectrometry. *Anal Chem.* 2020, May 5;92(9):6341-6348. doi: 10.1021/acs.analchem.9b05274.
- 161) Laeremans H, Turner C, Andersson T, de Juan JAC, Gerrard A, Heiner-Fokkema MR, Herebian D, Janzen N, la Marca G, Rudebeck M. Inter-laboratory analytical improvement of succinylacetone and nitisinone quantification from dried blood spot samples. *JIMD Rep.* 2020 Apr 4;53(1):90-102. doi: 10.1002/jmd2.12112.
- 162) Lubrano R, Villani A, Berrettini S, Caione P, Chiara A, Costantino A, Formigari R, Franzoni E, Gattinara GC, Giustardi A, la Marca G, Lionetti P, Lima M, Maffei C, Malamisura M, Manzoni G, Marseglia GL, Memeo A, Mosca F, Perricone G, Peruzzi L, Piacentini G, Pozzobon G, Riva E, Tesoro S, Zampino G, Zanetto F, Zecca M, Bloise S. Point of view of the Italians pediatric scientific societies about the pediatric care during the COVID-19 lockdown: what has changed and future prospects for restarting. *Ital J Pediatr.* 2020 Oct 2;46(1):142. doi: 10.1186/s13052-020-00907-3.
- 163) Marvelli A, Campi B, Mergni G, Di Cicco ME, Turini P, Scardina P, Zucchi R, Pifferi M, Taccetti G, Paolicchi A, la Marca G, Saba A Sweat chloride assay by inductively coupled plasma mass spectrometry: a confirmation test for cystic fibrosis diagnosis. *Anal Bioanal Chem.* 2020 Oct;412(25):6909-6916. doi: 10.1007/s00216-020-02821-3.
- 164) Franková V, Driscoll RO, Jansen ME, Loeber JG, Kožich V, Bonham J, Borde P, Brincat I, Cheillan D, Dekkers E, Fingerhut R, Kuš IB, Girginoudis P, Groselj U, Hougaard D, Knapková M, la Marca G, Malniece I, Nanu MI, Nennstiel U, Olkhovych N, Oltarzewski M, Pettersen RD, Racz G, Reinson K, Salimbayeva D, Songailiene J, Vilarinho L, Vogazianos M, Zetterström RH, Zeyda M; Members of the European Society of Human Genetics (ESHG)-EuroGentest Quality Sub-Committee. Regulatory landscape of providing information on newborn screening to parents across Europe. *Eur J Hum Genet.* 2021 Jan;29(1):67-78. doi: 10.1038/s41431-020-00716-6.
- 165) Casetta B, Malvagia S, Funghini S, Martinelli D, Dionisi-Vici C, Barone R, Fiumara A, Donati MA, Guerrini R, la Marca G. A new strategy implementing mass spectrometry in the diagnosis of congenital disorders of N-glycosylation (CDG). *Clin Chem Lab Med.* 2020 Aug 10:/j/cclm.ahead-of-print/cclm-2020-0650/cclm-2020-0650.xml. doi: 10.1515/cclm-2020-0650.
- 166) Calvani M, Dabradio A, Bruno G, De Gregorio V, Coronello M, Bogani C, Ciullini S, Marca G, Vignoli M, Chiarugi P, Nardi M, Vannucchi AM, Filippi L, Favre C. β 3-Adrenoreceptor Blockade Reduces Hypoxic Myeloid Leukemic Cells Survival and Chemoresistance.. *Int J Mol Sci.* 2020 Jun 12;21(12):4210. doi: 10.3390/ijms21124210.
- 167) la Marca G, Polo G, Burlina A. Screening neonatale: la realtà italiana a confronto con l'Europa e il resto del mondo. *Prospettive in Pediatria.* 2020 • Vol. 50 • N. 197 • P. 14-23
- 168) Malvagia S, Forni G, Ombrone D, la Marca G. Development of Strategies to Decrease False Positive Results in Newborn Screening. *Int J Neonatal Screen.* 2020 Nov 2;6(4):84. doi: 10.3390/ijns6040084.
- 169) la Marca G, Barp J, Frenos S, Mugelli A, Galli L, Calistri E, Biasucci G, De Masi S, Guerrini R. Thermal inactivation of SARS COVID-2 virus: Are steam inhalations a potential treatment? *Life Sci.* 2021 Jan 15;265:118801. doi: 10.1016/j.lfs.2020.118801
- 170) Pini A, Fazi C, Nardini P, Calvani M, Fabbri S, Guerrini A, Forni G, La Marca G, Rosa AC, Filippi L.

- Effect of Beta 3 Adrenoreceptor Modulation on Patency of the Ductus Arteriosus. *Cells*. 2020 Dec 7;9(12):E2625. doi: 10.3390/cells9122625.
- 171) Cianci P, D'Apolito V, Moretti A, Barbagallo M, Paci S, Carbone MT, Lubrano R, Urbino A, Dionisi Vici C, Memo L, Zampino G, La Marca G, Villani A, Corsello G, Selicorni A; Italian Society of Pediatrics (SIP); Italian Society of Pediatric Genetic Diseases and Congenital Disabilities (SIMGePed) the Italian Society of Pediatric Emergency Medicine (SIMEUP); Italian Society For The Study Of Inborn Metabolic Disorders And Newborn Screening (SIMMENS) and Members of Italian Network. Children with special health care needs attending emergency department in Italy: analysis of 3479 cases. *Ital J Pediatr*. 2020 Nov 23;46(1):173. doi: 10.1186/s13052-020-00937-x.
- 172) Dani C, Cecchi A, Remaschi G, Mercadante D, la Marca G, Boni L, Mosca F. Study protocol: treatment with caffeine of the very preterm infant in the delivery room: a feasibility study. *BMJ Open*. 2020 Dec 4;10(12):e040105. doi: 10.1136/bmjopen-2020-040105.
- 173) Belli G, Giovannini M, Porcedda G, Moroni M, la Marca G, Capponi G, Favilli S, De Simone L. Incessant Automatic Atrial Tachycardia in a Neonate Successfully Treated with Nadolol and Closely Spaced Doses of Flecainide: A Case Report. *Pediatr Rep*. 2020 Nov 11;12(3):108-113. doi: 10.3390/pediatric12030024.
- 174) Funghini S, Tonin R, Malvagia S, Caciotti A, Donati MA, Morrone A, la Marca G. High frequency of biotinidase deficiency in Italian population identified by newborn screening. *Mol Genet Metab Rep*. 2020 Dec 5;25:100689. doi: 10.1016/j.ymgmr.2020.100689.
- 175) la Marca G. The Newborn Screening Program in Italy: Comparison with Europe and other Countries *Rev Esp Salud Publica*. 2021 Jan 26;95:e202101007.
- 176) Caciotti A, Cellai L, Tonin R, Mei D, Procopio E, Di Rocco M, Andaloro A, Antuzzi D, Rampazzo A, Rigoldi M, Forni G, la Marca G, Guerrini R, Morrone A. Morquio B disease: From pathophysiology towards diagnosis. *Mol Genet Metab*. 2021 Mar;132(3):180-188. doi: 10.1016/j.ymgme.2021.01.008. Epub 2021 Feb 1.
- 177) Eichinger A, von Bernuth H, Dedieu C, Schroeder SA, la Marca G, Albert MH, Hauck F. Upfront Enzyme Replacement via Erythrocyte Transfusions for PNP Deficiency. *J Clin Immunol*. 2021 Feb 27. doi: 10.1007/s10875-021-01003-9. Online ahead of print. PMID: 33641045
- 178) Loeber JG, Platis D, Zetterström RH, Almashanu S, Boemer F, Bonham JR, Borde P, Brincat I, Cheillan D, Dekkers E, Dimitrov D, Fingerhut R, Franzson L, Groselj U, Hougaard D, Knapkova M, Kocova M, Kotori V, Kozich V, Kremeszna A, Kurkijärvi R, La Marca G, Mikelsaar R, Milenkovic T, Mitkin V, Moldovanu F, Ceglarek U, O'Grady L, Oltarzewski M, Pettersen RD, Ramadza D, Salimbayeva D, Samardzic M, Shamsiddinova M, Songailienė J, Szatmari I, Tabatadze N, Tezel B, Toromanovic A, Tovmasyan I, Usurelu N, Vevere P, Vilarinho L, Vogazianos M, Yahyaoui R, Zeyda M, Schielen PCJI. Neonatal Screening in Europe Revisited: An ISNS Perspective on the Current State and Developments Since 2010. *Int J Neonatal Screen*. 2021 Mar 5;7(1):15. doi: 10.3390/ijns7010015.
- 179) Malvagia S, Ferri L, Della Bona M, Borsini W, Cirami CL, Derwishi E, Feriozzi S, Gasperini S, Motta S, Mignani R, Trezzi B, Pieruzzi F, Morrone A, Daniotti M, Donati MA, la Marca G. Multicenter evaluation of use of dried blood spot compared to conventional plasma in measurements of globotriaosylsphingosine

- (LysoGb3) concentration in 104 Fabry patients. Clin Chem Lab Med. 2021 Apr 29. doi: 10.1515/cclm-2021-0316.
- 180) Malvagia S, Funghini S, Della Bona M, Ombrone D, Mura M, Damiano R, Ricci S, Cortimiglia M, Azzari C, la Marca G. The successful inclusion of ADA SCID in Tuscany expanded newborn screening program. Clin Chem Lab Med. 2021 May 5. doi: 10.1515/cclm-2021-0307.
- 181) C.Cavicchi; A. Ouassalah; S. Falliano; L. Ferri; A. Gozzini; S. Gasperini; S. Motta; M. Rigoldi; G. Parenti; A. Tummolo; C. Meli; F. Menni; F. Furlan; M. Daniotti; S. Malvagia; G. la Marca; C. Chery; PE Morange; D. Tregouet; MA Donati; R. Guerrini; JL Guéant; A. Morrone. PRDX1 gene-related epi-cblC disease is a common type of inborn error of cobalamin metabolism with mono or bi-allelic MMACHC epimutations. Clin Epigenetics. 2021 Jul 2;13(1):137. doi: 10.1186/s13148-021-01117-2.
- 182) B Gentner, F Tucci, S Galimberti, F Fumagalli, M De Pellegrin, P Silvani, C Camesasca, S Pontesilli, S Darin, F Ciotti, M Sarzana, G Consiglieri, C Filisetti, G Forni, L Passerini, D Tomasoni, D Cesana, A Calabria, G Spinozzi, MP Cicalese, V Calbi, M Migliavacca, F Barzaghi, F Ferrua, V Gallo, S Miglietta, E Zonari, C Forni, M Facchini, A Corti, Gabaldo M, S Zancan, S Gasperini, A Rovelli, JJ Boelens, S Jones, R Wynn, C Baldoli, E Montini, S Gregori, F Ciceri, MG Valsecchi, G la Marca, R Parini, L Naldini, A Aiuti, ME Bernardo. A Phase I/II Clinical Trial of Hematopoietic Stem & Progenitor Cell Gene Therapy for Hurler Syndrome. N Engl J Med. 2021 Nov 18;385(21):1929-1940. doi: 10.1056/NEJMoa2106596.
- 183) Mastorci F, Ait-Ali L, Festa P, Martini M, Gagliardi L, Calabri G, La Marca G, Trivellini G, Casu A, Dalmiani S, Marcheschi P, Celi S, Pingitore A. A New Web Score to Predict Health Status in Paediatric Patients with Chronic Diseases: Design and Development of the PENSAMI Study. Children (Basel). 2021 Nov 26;8(12):1094. doi: 10.3390/children8121094.
- 184) Moretti FA, Giardino G, Attenborough TCH, Gkazi AS, Margetts BK, la Marca G, Fairbanks L, Crompton T, Gaspar HB. Metabolite and thymocyte development defects in ADA-SCID mice receiving enzyme replacement therapy. Sci Rep. 2021 Dec 1;11(1):23221. doi: 10.1038/s41598-021-02572-w.
- 185) Martín-Nalda A, Rivière JG, Català-Besa M, García-Prat M, Parra-Martínez A, Martínez-Gallo M, Colobran R, Argudo-Ramírez A, Marín-Soria JL, García-Villoria J, Alonso L, Arranz-Amo JA, la Marca G, Soler-Palacín P. Early Diagnosis and Treatment of Purine Nucleoside Phosphorylase (PNP) Deficiency through TREC-Based Newborn Screening. Int J Neonatal Screen. 2021 Sep 29;7(4):62. doi: 10.3390/ijns7040062.
- 186) Brunetti-Pierri N, Ferla R, Ginocchio VM, Rossi A, Fecarotta S, Romano R, Parenti G, Yildiz Y, Zancan S, Pecorella V, Dell'Anno M, Graziano M, Alliegro m, Andria G, Santamaria F, Brunetti-Pierri R, Simonelli f, Nigro V, Vargas M, Servillo G, Borgia F, Soscia E, Prasad C, Chard M, O' Callaghan M, Danos O, Marteau JB, Galimberti S, Valsecchi M, Veron P, Mingozzi F, Fallarino F, la Marca G, Sivri S and Auricchio A. Safety and efficacy of liver-directed AAV-mediated gene therapy for mucopolysaccharidosis type VI, Lancet, 2022, submitted