

Lorenzo MASIERI

Pubblicazioni scientifiche

1. Andrologic pathology discovered during conscription screening: how many young men were unaware? N.Mondaini, M.Bonafe, F.Di Loro, S.Biscioni, L.Masieri, R.Ponchietti. *Minerva Urol Nefrol* 52(2):63-66, 2000.
2. Penile length and circumference: a study on 3.300 young italian males. R.Ponchietti, N.Mondaini, M.Bonafè, F.DiLoro, S.Biscioni, L.Masieri. *Eur.Urol.* 39:183-186, 2001.
3. Staging pelvic lymphadenectomy during radical retropubic prostatectomy for prostatic adenocarcinoma: complications. L.Masieri, S.Serni, A.Lapini, E.Meliani, C.Corvino, M.Carini. *Urologia* 69:77-80,2002.
4. Adenocarcinoma prostatico con PSA inferiore a 4 ng/ml. A.Lapini, L.Masieri, S.Serni, C.Corvino, U.Locunto, M.Carini. *Survey in Urologia* 2:23-24,2003.
5. Squamous cell carcinoma of the renal pelvis: nephrostomy tract tumour seeding. C Corvino, E Meliani, L.Masieri, A Lapini, S Serni, M Carini. *BJU International* 92 Suppl 3, 2003.
6. Low incidence of positive surgical margins in prostate cancer at high risk of extracapsular extension following modified anterograde radical prostatectomy technique. S.Serni, L.Masieri, A.Lapini, G.Nesi, M.Carini. *BJU International* 93:279-283, 2004.
7. Anterograde radical prostatectomy minimizes the incidence of positive surgical margins in high-risk prostate cancer. S.Serni, L.Masieri, A.Lapini, G.Nesi, M.Carini. *The American Journal of Urology Review*, 2(9):461-465, 2004.
8. Orthotopic ileal neobladder giant stone in a female. S.Serni, L.Masieri, A.Lapini, C.Corvino, U.Locunto, M.Carini. *Arch Ital Urol Androl.* 2004 Sep;76(3):115-6.
9. Re: Stancik I, Luftenegger W, Klimpfinger M, Muller MM, Hoeltl W. Effect of NIH-IV

- prostatitis on free and free-to-total PSA. *Eur Urol* 2004;46:760-4. A.Minervini, S.Serni, L.Masieri, M.Carini. *Eur Urol*. 2005 May;47(5):720-1. Epub 2005 Jan 21.
10. Progression and long term survival after simple enucleation for the elective treatment of renal cell carcinoma. A.Lapini, S.Serni, A.Minervini, L.Masieri, M.Carini. *Journal of Urology* 2005 July;174(1):57-60.
 11. Cancer progression following anterograde radical prostatectomy for pathological gleason score 8-10 and influence of concomitant variables. S.Serni, L.Masieri, A.Minervini, A.Lapini, G.Nesi, M.Carini. *Urology* 2006 Feb;67(2):373-8.
 12. Simple enucleation for the treatment of renal cell carcinoma between 4 and 7 cm in greatest dimension: progression and long-term survival. M.Carini, A.Minervini, A.Lapini, L.Masieri, S.Serni. *J Urol* 2006 Jun;175(6):2022-6.
 13. Simple enucleation for the treatment of pT1a renal cell carcinoma: our 20-year experience. M.Carini, A.Minervini, L.Masieri, A.Lapini, S.Serni. *Eur Urol* 2006;50(6):1263-1271.
 14. Simple enucleation for the treatment of renal angiomyolipoma. A.Minervini, G.Giubilei, L.Masieri, F.Lanzi, S.Serni, M.Carini. *BJU Int*. 2007 Apr;99(4):887-91.
 15. Re: Intra- and Peri-Operative Outcomes Comparing Radical Retropubic and Laparoscopic Radical Prostatectomy: Results from a Prospective, Randomized Single Surgeon Study. G Guazzoni, A Cestari, R Naspro, et al. *Eur Urol* 2006;50:98-104. M.Carini, L.Masieri, A.Minervini, S.Serni. *Eur Urol* 2007 Mar;51(3):858-9. Epub 2006 Oct 17.
 16. Nuclear Expression of Hypoxia-inducible Factor-1alpha in Clear Cell Renal Cell Carcinoma is Involved in Tumor Progression. C.Di Cristofano, A.Minervini, M.Menicagli, Salinitri G, Bertacca G, Pefanis G, Masieri L, Lessi F, Collecchi P, Minervini R, Carini M, Bevilacqua G, Cavazzana A. *Am J Surg Pathol*. 2007 Dec;31(12):1875-1881.

17. Oncological and functional results of antegrade radical retropubic prostatectomy for the treatment of clinically localized prostate cancer. M Carini, L Masieri, A Minervini, A Lapini, S Serni. *Eur Urol* 2008 Mar;53(3):554-63.
18. Antegrade versus retrograde stenting in laparoscopic pyeloplasty. Arumainayagam N, Minervini A, Davenport K, Kumar V, Masieri L, Serni S, Carini M, Timoney AG, Keeley FX Jr. *J Endourol.* 2008 Apr;22(4):671-4.
19. Re: A comparison of the incidence and location of positive surgical margins in robotic assisted laparoscopic radical prostatectomy and open retropubic radical prostatectomy. Masieri L, Minervini A, Serni S, Carini M. *J Urol* 2008 Nov;180(5):2257.
20. Androgen receptor regulation of the seladin-1/dhcr24 gene: altered expression in prostate cancer. Bonaccorsi L, Luciani P, Nesi G, Mannucci E, Deledda C, Dichiarà F, Paglierani M, Rosati F, Masieri L, Serni S, Carini M, Proietti-Pannunzi L, Monti S, Forti G, Danza G, Serio M, Peri A. *Lab Inv* Oct;88(10):1049-56.
21. Antegrade stenting in Laparoscopic pyeloplasty: feasibility of the technique and time to insertion. Minervini A, Siena G, Masieri L, Lapini A, Serni S, Carini M. *Surgical Endoscopy*, Aug;23(8):1831-4, 2009.
22. Persistence of expression of the TMPRSS2:ERG fusion gene after pre surgery androgen ablation may be associated with early prostate specific antigen relapse of prostate cancer: preliminary results. Bonaccorsi L, Nesi G, Nuti F, Paglierani M, Krausz C, Masieri L, Serni S, Proietti-Panuzzi L, Fang Y, Jhanwar SC, Orlando C, Carini M, Forti G, Baldi E, Luzzatto L. *J Endocrinol invest* Jul;32(7):590-6, 2009.
23. Urinary and sexual outcome in long term (5+ years) prostate cancer disease free survivors after radical prostatectomy. Gacci M, Simonato A, Masieri L, Gore JL, Lanciotti M, Mantella A, Rossetti MA, Serni S, Varca V, Romagnoli A, Ambruosi C, Venzano F, Esposito M, Montanaro T, Carmignani G, Carini M. *Health Qual Life Outcomes* Nov 13;7:94, 2009.

24. Influence of serum testosterone on urinary continence and sexual activity in patients undergoing radical prostatectomy for clinically localized prostate cancer. Gacci M, Corona G, Apolone G, Lanciotti M, Tosi N, Giancane S, Masieri L, Serni S, Maggi M, Carini M. *Prostate Cancer Prostatic Dis.* 2010 Jun;13(2):168-72.
25. Prognostic role of perineural invasion in 239 consecutive patients with pathologically organ-confined prostate cancer. Masieri L, Lanciotti M, Nesi G, Lanzi F, Tosi N, Minervini A, Lapini A, Carini M, Serni S. *Urol Int.* 2010;85(4):396-400.
26. Reciprocal activation of prostate cancer cells and cancer-associated fibroblasts stimulates epithelial-mesenchymal transition and cancer stemness. Giannoni E, Bianchini F, Masieri L, Serni S, Torre E, Calorini L, Chiarugi P. *Cancer Res.* 2010 Sep 1;70(17):6945-56.
27. Simple enucleation versus radical nephrectomy in the treatment of pT1a and pT1b renal cell carcinoma. Minervini A, Serni S, Tuccio A, Siena G, Vittori G, Masieri L, Giancane S, Lanciotti M, Khorrani S, Lapini A, Carini M. *Ann Surg Oncol.* 2012 Feb;19(2):694-700.
28. Fully automated solid-phase microextraction-fast gas chromatography-mass spectrometry method using a new ionic liquid column for high-throughput analysis of sarcosine and N-ethylglycine in human urine and urinary sediments. Bianchi F, Dugheri S, Musci M, Bonacchi A, Salvadori E, Arcangeli G, Cupelli V, Lanciotti M, Masieri L, Serni S, Carini M, Careri M, Mangia A. *Anal Chim Acta.* 2011 Nov 30;707(1-2):197-203.
29. The role of free to total PSA ratio in prediction of extracapsular tumor extension and biochemical recurrence after radical prostatectomy in patients with PSA between 4 and 10 ng/ml. Masieri L, Minervini A, Vittori G, Lanciotti M, Lanzi F, Lapini A, Carini M, Serni S. *Int Urol Nephrol.* 2012 Aug;44(4):1031-8.

30. The prognostic role of preoperative chromogranin A expression in prostate cancer after radical prostatectomy. Masieri L, Lanciotti M, Gontero P, Marchioro G, Mantella A, Zaramella S, Minervini A, Lapini A, Carini M, Serni S. Arch Ital Urol Androl. 2012 Mar;84(1):17-21.
31. Blue nevus of the prostate: incidental finding in radical prostatectomy specimen with a pre-operative echographic image of peripheral hypoechogenic nodule. Raspollini MR, Masieri L, Tosi N, Santucci M. Arch Ital Urol Androl. 2011 Dec;83(4):210-2
32. External Validation of the Updated Nomogram Predicting Lymph Node Invasion in Patients with Prostate Cancer Undergoing Extended Pelvic Lymph Node Dissection. Gacci M, Schiavina R, Lanciotti M, Masieri L, Serni S, Vagnoni V, Abdollah F, Carini M, Martorana G, Montorsi F. Urol Int. 2012 Dec 22. [Epub ahead of print]
33. Analysis of Surgical Complications of Renal Tumor Enucleation with Standardized Instruments and External Validation of Padua Classification. Minervini A, Vittori G, Salvi M, Sebastianelli A, Tuccio A, Siena G, Masieri L, Gacci M, Lapini A, Serni S, Carini M. Ann Surg Oncol. 2012 Dec 21. [Epub ahead of print]
34. Effects of *Serenoa repens*, selenium and lycopene (Profluss®) on chronic inflammation associated with benign prostatic hyperplasia: results of "FLOG" (Flogosis and Profluss in Prostatic and Genital Disease), a multicentre Italian study. Morgia G, Cimino S, Favilla V, Russo GI, Squadrito F, Mucciardi G, Masieri L, Minutoli L, Grosso G, Castelli T. Int Braz J Urol. 2013 Mar-Apr;39(2):214-21.
35. Quality of life in women undergoing urinary diversion for bladder cancer: results of a multicenter study among long-term disease-free survivors. Gacci M, Saleh O, Cai T, Gore JL, D'Elia C, Minervini A, Masieri L, Giannessi C, Lanciotti M, Varca V, Simonato A, Serni S, Carmignani G, Carini M. Health Qual Life Outcomes. 2013 Mar 12;11:43.


36. External validation of the updated nomogram predicting lymph node invasion in patients with prostate cancer undergoing extended pelvic lymph node dissection. Gacci M, Schiavina R, Lanciotti M, Masieri L, Serni S, Vagnoni V, Abdollah F, Carini M, Martorana G, Montorsi F. *Urol Int.* 2013;90(3):277-82. doi: 10.1159/000343993. Epub 2012 Dec 22.
37. Analysis of surgical complications of renal tumor enucleation with standardized instruments and external validation of PADUA classification. Minervini A, Vittori G, Salvi M, Sebastianelli A, Tuccio A, Siena G, Masieri L, Gacci M, Lapini A, Serni S, Carini M. *Ann Surg Oncol.* 2013 May;20(5):1729-36. doi: 10.1245/s10434-012-2801-9. Epub 2012 Dec 21.
38. European Initial Hands-On Experience with HEMOPATCH, a Novel Sealing Hemostatic Patch: Application in General, Gastrointestinal, Biliopancreatic, Cardiac, and Urologic Surgery. Fingerhut A, Uranues S, Ettorre GM, Felli E, Colasanti M, Scerrino G, Melfa GI, Raspanti C, Gulotta G, Meyer A, Oberhoffer M, Schmoeckel M, Weltert LP, Vignolini G, Salvi M, Masieri L, Vittori G, Siena G, Minervini A, Serni S, Carini M. *Surg Technol Int.* 2014 Nov;25:29-35.
39. Endoscopic robot-assisted simple enucleation (ERASE) for clinical T1 renal masses: description of the technique and early postoperative results. Minervini A, Tuccio A, Masieri L, Veneziano D, Vittori G, Siena G, Gacci M, Vignolini G, Mari A, Sebastianelli A, Salvi M, Serni S, Carini M. *Surg Endosc.* 2015 May;29(5):1241-9.
40. A comparison of different oral therapies versus no treatment for erectile dysfunction in 196 radical nerve-sparing radical prostatectomy patients. Natali A, Masieri L, Lanciotti M, Giancane S, Vignolini G, Carini M, Serni S. *Int J Impot Res.* 2015 Jan-Feb;27(1):1-5. doi: 10.1038/ijir.2014.27. Epub 2014 Jul 24.
41. The role of M1 and M2 macrophages in prostate cancer in relation to extracapsular tumor extension and biochemical recurrence after radical prostatectomy. Lanciotti

M, Masieri L, Raspollini MR, Minervini A, Mari A, Comito G, Giannoni E, Carini M, Chiarugi P, Serni S. *Biomed Res Int*. 2014;2014:486798.

42. Current indications and results of orthotopic ileal neobladder for bladder cancer. Minervini A, Serni S, Vittori G, Masieri L, Siena G, Lanciotti M, Lapini A, Gacci M, Carini M. *Expert Rev Anticancer Ther*. 2014 Apr;14(4):419-30. doi: 10.1586/14737140.2014.867235. Epub 2014 Feb 3. Review.
43. VHL and HIF-1 α : gene variations and prognosis in early-stage clear cell renal cell carcinoma. Lessi F, Mazzanti CM, Tomei S, Di Cristofano C, Minervini A, Menicagli M, Apollo A, Masieri L, Collecchi P, Minervini R, Carini M, Bevilacqua G. *Med Oncol*. 2014 Mar;31(3):840. doi: 10.1007/s12032-014-0840-8. Epub 2014 Jan 21.
44. Robotic vs open simple enucleation for the treatment of T1a-T1b renal cell carcinoma: a single center matched-pair comparison. Serni S, Vittori G, Masieri L, Gacci M, Lapini A, Siena G, Vignolini G, Mari A, Carini M, Minervini A. *Urology*. 2014 Feb;83(2):331-7.
45. Open versus robotic-assisted partial nephrectomy: a multicenter comparison study of perioperative results and complications. Minervini A, Vittori G, Antonelli A, Celia A, Crivellaro S, Dente D, Di Santo V, Frea B, Gacci M, Gritti A, Masieri L, Morlacco A, Porreca A, Rocco B, Parma P, Simeone C, Zaramella S, Carini M, Serni S. *World J Urol*. 2014 Feb;32(1):287-93. doi: 10.1007/s00345-013-1136-x. Epub 2013 Aug 4. Erratum in: *World J Urol*. 2014 Feb;32(1):295.
46. Multicenter analysis of pathological outcomes of patients eligible for active surveillance according to prias criteria. Grasso AA, Cozzi G, De Lorenzis E, Ceruti C, Crivellaro S, Falsaperla M, Minervini A, Masieri L, Serni S, Porreca A, Zaramella S, Rocco B. *Minerva Urol Nefrol*. 2015 Mar 3. [Epub ahead of print]
47. Proximal hypospadias repair with bladder mucosal graft: Our 10 years experience. Lanciotti M, Betti M, Elia A, Landi L, Taverna M, Cini C, Masieri L. *J Pediatr Urol*. 2017 Jun;13(3):294.e1-294.e6. doi: 10.1016/j.jpuro.2017.01.011. Epub 2017 Feb 17.

48. Pediatric Endoscopic Pilonidal Sinus Treatment, a Revolutionary Technique to Adopt in Children with Pilonidal Sinus Fistulas: Our Preliminary Experience. Esposito C, Izzo S, Turrà F, Cerulo M, Severino G, Settimi A, Iannazzone M, Masieri L, Cortese G, Escolino M. J Laparoendosc Adv Surg Tech A. 2017 Dec 12.
49. Robot-assisted extravesical ureteral reimplantation (revur) for unilateral vesico-ureteral reflux in children: results of a multicentric international survey. Esposito C, Masieri L, Steyaert H, Escolino M, Cerchione R, La Manna A, Cini C, Lendvay TS. World J Urol. 2018 Mar;36(3):481-488.
50. Surgical outcome of 100 consecutive robot-assisted pyeloplasty cases with no drainage placement for ureteropelvic junction obstruction. Mari A, Sforza S, Morselli S, Campi R, Masieri L, Carini M, Minervini A. Int J Urol. 2018 May 31. doi: 10.1111/iju.13700.
51. Infectious Complications After Laparoscopic Appendectomy in Pediatric Patients with Perforated Appendicitis: Is There a Difference in the Outcome Using Irrigation and Suction Versus Suction Only? Results of a Multicentric International Retrospective Study. Escolino M, Becmeur F, Saxena A, Till H, Masieri L, Cortese G, Holcomb GW 3rd, Esposito C. J Laparoendosc Adv Surg Tech A. 2018 Jun 15.
52. Laparoscopic and robotic-assisted repair of retrocaval ureter in children: a multi-institutional comparative study with open repair. Escolino M, **Masieri L**, Valla JS, Lopez PJ, Tokar B, Mushtaq I, Esposito C. World J Urol. 2018 Dec 5. doi: 10.1007/s00345-018-2577-z

05/01/2019



7